JOURNAL OF BIOMEDICAL MATERIALS RESEARCH

Editor-in-Chief:
James M. Anderson
University Hospitals of Cleveland
The Institute of Pathology of Case Western Reserve University
11100 Euclid Avenue, Room 306
Cleveland, OH 44106-2622

ASSISTANT EDITORS
John Brunski
Kevin E. Healy
Teruo Okano
Robert M. Pilliar
John A. M. Ramshaw
Buddy Ratner

Editorial Board:
C. Mauli Agrawal
Toshihiro Akaike
Luigi Ambrosio
Robert E. Baier
Thomas W. Bauer
Rena Bizios
Lars M. Bjursten
Roy D. Bloebaum
Barbara D. Boyan
John L. Brash
Stanley A. Brown
Donald M. Brunette
Patrick T. Cahalan
Stephen D. Cook
Francis W. Cooke
Stuart L. Cooper
John E. Davies
Paul Ducheyne
Elaine Duncan
Jan Feijen
Dale Feldman
Jeremy L. Gilbert
Jean A. Goggins
Steven L. Goodman
Stuart B. Goodman
David W. Grainger
David C. Greenspan
Ulrich Gross
Robert Guidoin
Stephen R. Hanson
Garth W. Hastings
Michael N. Helmus
Larry L. & June Wilson-Hench
Arne Hensten-Pettersen
Anne Hiltner
Allan S. Hoffman
Jeffrey O. Hollinger
Thomas Horbett
C. Rolfe Howlett
Jeffery A. Hubbell
Samuel F. Hulbert
Jean T. Jacob
Raju G. Kammula
Sandra S. Kaplan
J. Lawrence Katz
Sung Wan Kim
Un Young Kim
Joachim Kohn
Tadashi Kokubo
Kandice Kottke-Marchant
Martine LaBerge
William R. Lacefield
Cato T. Laurencin
Racquel Z. LeGeros
Jack Lemons
Roger E. Marchant
Takehisa Matsuda
Katharine Merritt
Antonios G. Mikos
Nobuo Nakabayashi
Peter Neuenschwander
Sharon J. Northup
Joon B. Park
J. Russell Parsons
Nicholas A. Peppas
Grace L. Picciolo
Hanns Plenk
W. M. Reichert
Clare M. Rimnac
Subrata Saha
Jeff M. Schakenraad
Frederick J. Schoen
Michael V. Sefton
Viktor L. Sevastianov
Steven M. Slack
Myron Spector
L. D. Timmie Topoleski
Michel Vert
Andreas von Recum
William R. Wagner
Jerome A. Werkmeister
David F. Williams
Ioannis V. Yannas
Yao-Ting Yu
Nicholas P. Ziats

Assistant to the Editor:
Bonnie Berry

Editorial Production, John Wiley:
Michael J. Evans

Journal of Biomedical Materials Research (Print ISSN: 0021–9304; Online: ISSN 1097-4636 at Wiley InterScience, www.interscience.wiley.com) is published 22 times a year by Wiley Subscription Services, Inc., a Wiley Company.

Copyright © 2002 Wiley Periodicals, Inc., a Wiley Company. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under Sections 107 or 108 of the United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 750-4470.

The copyright notice appearing at the bottom of the first part of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Department, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158-0012; (212) 850-6011, fax (212) 850-6008, e-mail: permreq@wiley.com.

SUBSCRIPTION PRICE: (Volumes 59–63, 2002): Print only: $4495.00 in U.S., $4715.00 in Canada and Mexico, $4902.00 outside North America. Electronic only: $4495.00 worldwide. A combination price of $4720.00 in U.S., $4940.00 in Canada and Mexico, $5127.00 outside North America, includes the subscription in both electronic and print formats. All subscriptions containing a print element, shipped outside U.S., will be sent by air. Payment must be made in U.S. dollars drawn on a U.S. bank. Claims for undelivered copies will be accepted only after the following issue has been delivered. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please call (212) 850-6645 or e-mail: subinfo@wiley.com.

POSTMASTER: Send address changes to *Journal of Biomedical Materials Research*, Caroline Rothaug, Director, Subscription Fulfillment and Distribution, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158.

ADVERTISING SALES: Advertising inquiries should be addressed to: Ryan Schaefer, the ARDEL group, 13355 Tenth Ave. N., Suite 108, Minneapolis, MN 55441-5512. Telephone (763) 543-0908. Fax (763) 545-0335.

REPRINTS: Reprint sales and inquiries should be directed to the Customer Service Department, c/o John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158. Tel: 212-850-8789.

OTHER CORRESPONDENCE: Address all other correspondence to: *Journal of Biomedical Materials Research*, c/o John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

MANUSCRIPTS and correspondence concerning manuscripts under review should be sent to the Editor. *Information for Contributors* appears in the first and last issue of each volume. The contents of this journal are indexed in the following: *BIOSIS, Cambridge Scientific Abstracts, Current Contents/Life Sciences, Engineering Index, Engineering Materials Abstracts (CSA), EMBASE/Excerpta Medica, Index Medicus/MEDLINE, Materials Business File-Steele Arts (CSA), Metals Abstracts/METADEX (CSA), Reference Update, Research Alert* (***ISI***), *Science Citation Index (ISI), SCISEARCH Database (ISI), Biomedical Engineering Citation Index (BECI),* Applied Science & Technology Index, and Applied Science & Technology Abstracts.

This paper meets the requirements of ANSI/NISO #Z39.48-1992 (Permanence of Paper). ♾

Journal of Biomedical Materials Research
Author Index—Volume 61

Abebe, W. See Maddux, W. F., 572
Abraham, G. A. See Méndez, J. A., 66
Akagi, M. See Tamura, J., 218
Albrecht, W. See Groth, T., 290
Alcaraz-Baños, M. See Meseguer-Olmo, L., 458
Alexander, C. See Marsh, L. H., 641
Altankov, G. See Groth, T., 290
Arcos, D. See Meseguer-Olmo, L., 458
Asagiri, K. See Habara, T., 628
Attawia, M. See Borden, M., 421
Aung, T.
—; Miyoshi, H.; Tun, T.; Ohshima, N.: Chondroinduction of mouse mesenchymal stem cells in three-dimensional highly porous matrix scaffolds, 75

Babu, M. See Sathya Sai Kumar, K. V., 197
Balcells, M. See Sarda, S., 653
Barber, T. A. See Stile, R. A., 391
Barbosa, M. A. See Ji, J., 252
Bas, L. See Deĝim, Z., 246
Becker, T. A.
—; Kipke, D. R.: Flow properties of liquid calcium alginate polymer injected through medical microcatheters for endovascular embolization, 533
Beckman, E. J. See Guan, J., 493
Beiler, R. J. See Burg, K. J. L., 380
Bernacca, G. M.
—; Straub, I.; Wheatley, D. J.: Mechanical and morphological study of biostable polyurethane heart valve leaflets explanted from sheep, 138
Bessho, K.
—; Carnes, D. L.; Cavin, R.; Ong, J. L.: Experimental studies on bone induction using low-molecular-weight poly (DL-lactide-*co*-glycolide) as a carrier for recombinant human bone morphogenetic protein-2, 61
Boldizar, A. See Hoseini, M., 634
Borden, M.
—; Attawia, M.; Laurencin, C. T.: The sintered microsphere matrix for bone tissue engineering: *In vitro* osteoconductivity studies, 421
Böstman, O. See Laitinen, O., 33
Boynton, E. L. See Xing, S., 619
Breschi, L.
—; Lopes, M.; Gobbi, P.; Mazzotti, G.; Falconi, M.; Perdigão, J.: Dentin proteoglycans: An immunocytochemical FEISEM study, 40
Brunette, D. M. See Glass-Brudzinski, J., 608
Burg, K. J. L.
—; Delnomdedieu, M.; Beiler, R. J.; Culberson, C. R.; Greene, K. G.; Halberstadt, C. R.; Holder, W. D., Jr.; Loebsack, A. B.; Roland, W. D.; Johnson, G. A.: Application of magnetic resonance microscopy to tissue engineering: A polylactide model, 380
Burgess, D. J. See Hickey, T., 180
Butterfield, A. See Gilbert, J. L., 270

Carnes, D. L. See Bessho, K., 61
Castner, D. G. See Stile, R. A., 391
Cavin, R. See Bessho, K., 61
Chang, T. See Shim, M. S., 188
Chang, W.-H. See Chen, C.-N., 360
Chen, C.-N.
—; Sung, H.-W.; Liang, H.-F.; Chang, W.-H.: Feasibility study using a natural compound (reuterin) produced by *Lactobacillus reuteri* in sterilizing and crosslinking biological tissues, 360
Chen, J. E. See Wolfe, M. S., 159
Chen, N. See Tadmor, R., 514
Chiu, H.-C.
—; Hsu, Y.-H.; Lin, P.-J.: Synthesis of pH-sensitive inulin hydrogels and characterization of their swelling properties, 146
Chow, L. C. See Sugawara, A., 47
Cianciolo, G. See Conti, M., 370
Cissé, O.
—; Savadogo, O.; Wu, M.; Yahia, L-H.: Effect of surface treatment of NiTi alloy on its corrosion behavior in Hanks' solution, 339
Clarke, I. C. See Tamura, J., 218
Clavel-Sainz, M. See Meseguer-Olmo, L., 458
Coke, M. See Marsh, L. H., 641
Conti, M.
—; Donati, G.; Cianciolo, G.; Stefoni, S.; Samorì, B.: Force spectroscopy study of the adhesion of plasma proteins to the surface of a dialysis membrane: Role of the nanoscale surface hydrophobicity and topography, 370
Corbeil, J. See Pioletti, D. P., 408
Culberson, C. R. See Burg, K. J. L., 380
Cumber, J. See Gilbert, J. L., 270
Curtis, R. See Leiggener, C. S., 131

Davies, M. C. See Salem, A. K., 212
de Groot, K. See Li, S. H., 109
De Wijn, J. R. See Li, S. H., 109
Dean, D. See Wolfe, M. S., 159
Deĝim, T. See Deĝim, Z., 246
Deĝim, Z.
—; Deĝim, T.; Bas, L.; Elmas, M.: The use of liposomal enrofloxacin for intracellular infections in Kangal dogs and visualization of phagocytosis of liposomes, 246
del Mar Fernández, M. See Méndez, J. A., 66
Delnomdedieu, M. See Burg, K. J. L., 380
Dettmar, P. W. See Marsh, L. H., 641
Dieudonne, S. See ter Brugge, P. J., 399
Dobkowski, J. See Kowalczyńska, H. M., 260
Donati, G. See Conti, M., 370
Dott, W. See Müller, B. P., 83
Downes, S. See Gough, J. E., 121

Du, P. See Pioletti, D. P., 408
Dubini, B. See Nicoli Aldini, N., 282

Edidin, A. A.
—; Herr, M. P.; Villarraga, M. L.; Muth, J.; Yau, S. S.; Kurtz, S. M.: Accelerated aging studies of UHMWPE. I. Effect of resin, processing, and radiation environment on resistance to mechanical degradation, 312
Edidin, A. A.
—; Villarraga, M. L.; Herr, M. P.; Muth, J.; Yau, S. S.; Kurtz, S. M.: Accelerated aging studies of UHMWPE. II. Virgin UHMWPE is not immune to oxidative degradation, 323
El Sayegh, T. Y.
—; Pilliar, R. M.; McCulloch, C. A. G.: Attachment, spreading, and matrix formation by human gingival fibroblasts on porous-structured titanium alloy and calcium polyphosphate substrates, 482
Elmas, M. See Değim, Z., 246
Ensslen, S. See Müller, B. P., 83
Eppell, S. J. See Tong, W., 346
Ewen, R. J. See Marsh, L. H., 641

Falconi, M. See Breschi, L., 40
Feng, L. See Ji, J., 252
Fernandes, A. C. See Serro, A. P., 99
Fernandes, M. H. V. See Serro, A. P., 99
Fernández, E. See Nilsson, M., 600
Fernández, E. See Sarda, S., 653
Fini, M. See Nicoli Aldini, N., 282
Fischer, H.
—; Karaca, F.; Marx, R.: Detection of microscopic cracks in dental ceramic materials by fluorescent penetrant method, 153
Fisher, J. P. See Wolfe, M. S., 159
Francis, L. F. See Zhang, K., 551
Fujikawa, K. See Sugawara, A., 47

Gao, J. See Qian, F., 203
Genini, D. See Pioletti, D. P., 408
Giardino, R. See Nicoli Aldini, N., 282
Giavaresi, G. See Nicoli Aldini, N., 282
Gilbert, J. L.
—; Cumber, J.; Butterfield, A.: Surface micromechanics of ultrahigh molecular weight polyethylene: Microindentation testing, crosslinking, and material behavior, 270
Glass-Brudzinski, J.
—; Perizzolo, D.; Brunette, D. M.: Effects of substratum surface topography on the organization of cells and collagen fibers in collagen gel cultures, 608
Gobbi, P. See Breschi, L., 40
Good, V. D. See Tamura, J., 218
Gough, J. E.
—; Scotchford, C. A.; Downes, S.: Cytotoxicity of glutaraldehyde crosslinked collagen/poly(vinyl alcohol) films is by the mechanism of apoptosis, 121
Greene, K. G. See Burg, K. J. L., 380
Groth, T.
—; Seifert, B.; Malsch, G.; Albrecht, W.; Paul, D.; Kostadinova, A.; Krasteva, N.; Altankov, G.: Interaction of human skin fibroblasts with moderate wettable polyacrylonitrile–copolymer membranes, 290
Guan, J.
—; Sacks, M. S.; Beckman, E. J.; Wagner, W. R.: Synthesis, characterization, and cytocompatibility of elastomeric, biodegradable poly(ester-urethane)ureas based on poly(caprolactone) and putrescine, 493

Habara, T.
—; Nakatsuka, M.; Konishi, H.; Asagiri, K.; Noguchi, S.; Kudo, T.: The biological effects of antiadhesion agents on activated RAW264.7 macrophages, 628
Halberstadt, C. R. See Burg, K. J. L., 380
Hamilton, G. See Salacinski, H., 337
Han, S. See Wolfe, M. S., 159
Hanson, A. J.
—; Quinn, M. T.: Effect of fibrin sealant composition on human neutrophil chemotaxis, 474
Haraldsson, C. See Milleding, P., 541
Havler, M. See Marsh, L. H., 641
Healy, K. E. See Stile, R. A., 391
Hench, L. L. See Sepulveda, P., 301
Herr, M. P. See Edidin, A. A., 312
Herr, M. P. See Edidin, A. A., 323
Hickey, T.
—; Kreutzer, D.; Burgess, D. J.; Moussy, F.: *In vivo* evaluation of a dexamethasone/PLGA microsphere system designed to suppress the inflammatory tissue response to implantable medical devices, 180
Holder, W. D., Jr. See Burg, K. J. L., 380
Hollender, J. See Müller, B. P., 83
Hopt, U. T. See Löbler, M., 165
Hoseini, M.
—; Lausmaa, J.; Boldizar, A.: Tribological investigation of oriented HDPE, 634
Hsiue, G.-H.
—; Lai, J.-Y.; Lin, P.-K.: Absorbable sandwich-like membrane for retinal-sheet transplantation, 19
Hsu, Y.-H. See Chiu, H.-C., 146

Ichino, R. See Kuroda, K., 354
Ikoma, T. See Taguchi, T., 330
Israelachvili, J. N. See Tadmor, R., 514

Jansen, J. A. See Ooms, E. M., 9
Jansen, J. A. See Parker, J. A. T. C., 91
Jansen, J. A. See ter Brugge, P. J., 399
Jansen, J. A. See Vehof, J. W. M., 440
Jayakrishnan, A. See Lakshmi, S., 26
Ji, J.
—; Feng, L.; Shen, J.; Barbosa, M. A.: Preparation of albumin preferential surfaces on poly(vinyl chloride) membranes via surface self-segregation, 252
Jo, S. See Shin, H., 169
Johnson, G. A. See Burg, K. J. L., 380
Jones, J. R. See Sepulveda, P., 301

Kamimura, M.
—; Tamura, J.; Shinzato, S.; Kawanabe, K.; Neo, M.; Kokubo, T.; Nakamura, T.: Interfacial tensile strength between polymethylmethacrylate-based bioactive bone cements and bone, 564
Kamiński, J. See Kowalczyńska, H. M., 260
Karaca, F. See Fischer, H., 153
Karlsson, S. See Milleding, P., 541
Kawanabe, K. See Kamimura, M., 564
Kawanabe, K. See Tamura, J., 218
Kellar, R. S.
—; Kleinert, L. B.; Williams, S. K.: Characterization of angiogenesis and inflammation surrounding ePTFE implanted on the epicardium, 226
Kim, S. W. See Shim, M. S., 188
Kim, Y. D. See Lee, B.-H., 466
Kipke, D. R. See Becker, T. A., 533

Kleinert, L. B. See Kellar, R. S., 226
Knaack, D. See Mickiewicz, R. A., 581
Kniss, D. A. See Xie, Y., 234
Kobayashi, T. See Nakamura, S., 593
Kokubo, T. See Kamimura, M., 564
Kołos, R. See Kowalczyńska, H. M., 260
Konishi, H. See Habara, T., 628
Kostadinova, A. See Groth, T., 290
Kowalczyńska, H. M.
—; Nowak-Wyrzykowska, M.; Dobkowski, J.; Kołos, R.; Kamiński, J.; Makowska-Cynka, A.; Marciniak, E.: Adsorption characteristics of human plasma fibronectin in relationship to cell adhesion, 260
Krajewski, A. See Nicoli Aldini, N., 282
Krasteva, N. See Groth, T., 290
Kreutzer, D. See Hickey, T., 180
Kuboki, Y. See Vehof, J. W. M., 440
Kudo, T. See Habara, T., 628
Kunze, C. See Löbler, M., 165
Kuroda, K.
—; Ichino, R.; Okido, M.; Takai, O.: Effects of ion concentration and pH on hydroxyapatite deposition from aqueous solution onto titanium by the thermal substrate method, 354
Kurtz, S. M. See Edidin, A. A., 312
Kurtz, S. M. See Edidin, A. A., 323
Kusama, K. See Sugawara, A., 47

Labow, R. S. See Matheson, L. A., 505
Labow, R. S. See Xing, S., 619
Lai, J.-Y. See Hsiue, G.-H., 19
Laitinen, O.
—; Pihlajamäki, H.; Sukura, A.; Böstman, O.: Transmission electron microscopic visualization of the degradation and phagocytosis of a poly-L-lactide screw in cancellous bone: A long-term experimental study, 33
Lakshmi, S.
—; Pradeep Kumar, S. S.; Jayakrishnan, A.: Bacterial adhesion onto azidated poly(vinyl chloride) surfaces, 26
Lannutti, J. J. See Xie, Y., 234
Laurencin, C. T. See Borden, M., 421
Lausmaa, J. See Hoseini, M., 634
Lax-Pérez, A. See Meseguer-Olmo, L., 458
Layrolle, P. See Li, S. H., 109
Lee, B.-H.
—; Kim, Y. D.; Shin, J. H.; Lee, K. H.: Surface modification by alkali and heat treatments in titanium alloys, 466
Lee, D. S. See Shim, M. S., 188
Lee, H. See Shim, M. S., 188
Lee, H. T. See Shim, M. S., 188
Lee, K. H. See Lee, B.-H., 466
Leiggener, C. S.
—; Curtis, R.; Pfluger, D.; Rahn, B. A.: Effect of perforations in burr hole covers on cranial bone regeneration in rabbits, 131
Leoni, L. See Pioletti, D. P., 408
Li, S. H.
—; De Wijn, J. R.; Layrolle, P.; de Groot, K.: Synthesis of macroporous hydroxyapatite scaffolds for bone tissue engineering, 109
Li, Y. See Xie, Y., 234
Liang, H.-F. See Chen, C.-N., 360
Lidgren, L. See Nilsson, M., 600
Lin, P.-J. See Chiu, H.-C., 146
Lin, P.-K. See Hsiue, G.-H., 19
Löbler, M.
—; Saß, M.; Kunze, C.; Schmitz, K.-P.; Hopt, U. T.: Biomaterial implants induce the inflammation marker CRP at the site of implantation, 165
Loebsack, A. B. See Burg, K. J. L., 380
Lopes, M. See Breschi, L., 40

Ma, Y. See Zhang, K., 551
Maddux, W. F.
—; Abebe, W.; Schuster, G. S.; Mozaffari, M. S.: Effects of dental resin components on vascular reactivity, 572
Makowska-Cynka, A. See Kowalczyńska, H. M., 260
Malsch, G. See Groth, T., 290
Maltha, J. C. See Parker, J. A. T. C., 91
Marciniak, E. See Kowalczyńska, H. M., 260
Marsh, L. H.
—; Coke, M.; Dettmar, P. W.; Ewen, R. J.; Havler, M.; Nevell, T. G.; Smart, J. D.; Smith, J. R.; Timmins, B.; Tsibouklis, J.; Alexander, C.: Adsorbed poly(ethyleneoxide)–poly(propyleneoxide) copolymers on synthetic surfaces: Spectroscopy and microscopy of polymer structures and effects on adhesion of skin-borne bacteria, 641
Martin, A. I. See Salinas, A. J., 524
Martini, L. See Nicoli Aldini, N., 282
Marx, R. See Fischer, H., 153
Masaoka, T. See Tamura, J., 218
Matheson, L. A.
—; Labow, R. S.; Santerre, J. P.: Biodegradation of polycarbonate-based polyurethanes by the human monocyte-derived macrophage and U937 cell systems, 505
Matsuda, T. See Mizutani, M., 53
Mayes, A. M. See Mickiewicz, R. A., 581
Mazzocchi, M. See Nicoli Aldini, N., 282
Mazzotti, G. See Breschi, L., 40
McCulloch, C. A. G. See El Sayegh, T. Y., 482
McKellop, H. A. See Shen, F.-W., 430
Méndez, J. A.
—; Abraham, G. A.; del Mar Fernández, M.; Vázquez, B.; San Román, J.: Self-curing acrylic formulations containing PMMA/PCL composites: Properties and antibiotic release behavior, 66
Meseguer-Olmo, L.
—; Ros-Nicolás, M. J.; Clavel-Sainz, M.; Vicente-Ortega, V.; Alcaraz-Baños, M.; Lax-Pérez, A.; Arcos, D.; Ragel, C. V.; Vallet-Regí, M.: Biocompatibility and *in vivo* gentamicin release from bioactive sol–gel glass implants, 458
Mickiewicz, R. A.
—; Mayes, A. M.; Knaack, D.: Polymer–calcium phosphate cement composites for bone substitutes, 581
Mikos, A. G. See Shin, H., 169
Mikos, A. G. See Wolfe, M. S., 159
Milleding, P.
—; Haraldsson, C.; Karlsson, S.: Ion leaching from dental ceramics during static *in vitro* corrosion testing, 541
Miyoshi, H. See Aung, T., 75
Mizutani, M.
—; Matsuda, T.: Liquid photocurable biodegradable copolymers: *In vivo* degradation of photocured poly(ε-caprolactone-*co*-trimethylene carbonate), 53
Moussy, F. See Hickey, T., 180
Mozaffari, M. S. See Maddux, W. F., 572
Müller, B. P.
—; Ensslen, S.; Dott, W.; Hollender, J.: Improved sample preparation of biomaterials for *in vitro* genotoxicity testing using reference materials, 83
Murai, S. See Sugawara, A., 47
Muth, J. See Edidin, A. A., 312
Muth, J. See Edidin, A. A., 323

Nakamura, S.
—; Kobayashi, T.; Yamashita, K.: Extended bioactivity in the proximity of hydroxyapatite ceramic surfaces induced by polarization charges, 593
Nakamura, T. See Kamimura, M., 564
Nakatsuka, M. See Habara, T., 628
Nasongkla, N. See Qian, F., 203
Neo, M. See Kamimura, M., 564
Nesamony, J. See Paul, W., 660
Nevell, T. G. See Marsh, L. H., 641
Nicoli Aldini, N.
—; Fini, M.; Giavaresi, G.; Torricelli, P.; Martini, L.; Giardino, R.; Ravaglioli, A.; Krajewski, A.; Mazzocchi, M.; Dubini, B.; Ponzi-Bossi, M. G.; Rustichelli, F.; Stanic, V.: Improvement in zirconia osseointegration by means of a biological glass coating: An *in vitro* and *in vivo* investigation, 282
Nilsson, M.
—; Fernández, E.; Sarda, S.; Lidgren, L.; Planell, J. A.: Characterization of a novel calcium phosphate/sulphate bone cement, 600
Nilsson, M. See Sarda, S., 653
Nishiyama, M. See Sugawara, A., 47
Noguchi, S. See Habara, T., 628
Nowak-Wyrzykowska, M. See Kowalczyńska, H. M., 260

Ohshima, N. See Aung, T., 75
Okido, M. See Kuroda, K., 354
Ong, J. L. See Bessho, K., 61
Ooms, E. M.
—; Wolke, J. G. C.; van der Waerden, J. P. C. M.; Jansen, J. A.: Trabecular bone response to injectable calcium phosphate (Ca-P) cement, 9
Oonishi, H. See Tamura, J., 218

Park, I. See Shim, M. S., 188
Parker, J. A. T. C.
—; Walboomers, X. F.; Von den Hoff, J. W.; Maltha, J. C.; Jansen, J. A.: Soft-tissue response to silicone and poly-L-lactic acid implants with a periodic or random surface micropattern, 91
Paul, D. See Groth, T., 290
Paul, W.
—; Nesamony, J.; Sharma, C. P.: Delivery of insulin from hydroxyapatite ceramic microspheres: Preliminary *in vivo* studies, 660
Pearson, R. G. See Salem, A. K., 212
Perdigão, J. See Breschi, L., 40
Perizzolo, D. See Glass-Brudzinski, J., 608
Pfluger, D. See Leiggener, C. S., 131
Pihlajamäki, H. See Laitinen, O., 33
Pilliar, R. M. See El Sayegh, T. Y., 482
Pioletti, D. P.
—; Leoni, L.; Genini, D.; Takei, H.; Du, P.; Corbeil, J.: Gene expression analysis of osteoblastic cells contacted by orthopedic implant particles, 408
Planell, J. A. See Nilsson, M., 600
Planell, J. A. See Sarda, S., 653
Ponzi-Bossi, M. G. See Nicoli Aldini, N., 282
Powell, H. See Xie, Y., 234
Pradeep Kumar, S. S. See Lakshmi, S., 26
Purna Sai, K. See Sathya Sai Kumar, K. V., 197

Qian, F.
—; Nasongkla, N.; Gao, J.: Membrane-encased polymer millirods for sustained release of 5-fluorouracil, 203
Quinn, M. T. See Hanson, A. J., 474

Ragel, C. V. See Meseguer-Olmo, L., 458
Rahn, B. A. See Leiggener, C. S., 131
Ravaglioli, A. See Nicoli Aldini, N., 282
Rimnac, C. M. See Wolfe, M. S., 159
Roberts, C. J. See Salem, A. K., 212
Roland, W. D. See Burg, K. J. L., 380
Ros-Nicolás, M. J. See Meseguer-Olmo, L., 458
Rustichelli, F. See Nicoli Aldini, N., 282

Sacks, M. S. See Guan, J., 493
Salacinski, H.
—; Tiwari, A.; Hamilton, G.; Seifalian, A. M.: Performance of a polyurethane vascular prosthesis carrying a dipyridamole (Persantin) coating on its lumenal surface, 337
Salem, A. K.
—; Stevens, R.; Pearson, R. G.; Davies, M. C.; Tendler, S. J. B.; Roberts, C. J.; Williams, P. M.; Shakesheff, K. M.: Interactions of 3T3 fibroblasts and endothelial cells with defined pore features, 212
Salinas, A. J.
—; Martin, A. I.; Vallet-Regí, M.: Bioactivity of three $CaO–P_2O_5–SiO_2$ sol-gel glasses, 524
Samorì, B. See Conti, M., 370
San Román, J. See Méndez, J. A., 66
Santerre, J. P. See Matheson, L. A., 505
Santerre, J. P. See Xing, S., 619
Saramago, B. See Serro, A. P., 99
Sarda, S.
—; Fernández, E.; Nilsson, M.; Balcells, M.; Planell, J. A.: Kinetic study of citric acid influence on calcium phosphate bone cements as water-reducing agent, 653
Sarda, S. See Nilsson, M., 600
Saß, M. See Löbler, M., 165
Sathya Sai Kumar, K. V.
—; Purna Sai, K.; Babu, M.: Application of frog (*Rana tigerina* Daudin) skin collagen as a novel substrate in cell culture, 197
Savadogo, O. See Cissé, O., 339
Schlosser, M.
—; Wilhelm, L.; Urban, G.; Ziegler, B.; Ziegler, M.; Zippel, R.: Immunogenicity of polymeric implants: Long-term antibody response against polyester (Dacron) following the implantation of vascular prostheses into LEW.1A rats, 450
Schmitz, K.-P. See Löbler, M., 165
Schroeder, D. See Tamura, J., 218
Schuster, G. S. See Maddux, W. F., 572
Scotchford, C. A. See Gough, J. E., 121
Seifalian, A. M. See Salacinski, H., 337
Seifert, B. See Groth, T., 290
Sepulveda, P.
—; Jones, J. R.; Hench, L. L.: *In vitro* dissolution of melt-derived 45S5 and sol-gel derived 58S bioactive glasses, 301
Serro, A. P.
—; Fernandes, A. C.; Saramago, B.; Fernandes, M. H. V.: *In vitro* mineralization of a glass-ceramic of the $MgO\text{-}3CaO \cdot P_2O_5\text{-}SiO_2$ system: Wettability studies, 99
Shakesheff, K. M. See Salem, A. K., 212
Sharma, C. P. See Paul, W., 660
Shen, F.-W.
—; McKellop, H. A.: Interaction of oxidation and crosslinking in gamma-irradiated ultrahigh molecular-weight polyethylene, 430
Shen, J. See Ji, J., 252

Shim, M. S.
—; Lee, H. T.; Shim, W. S.; Park, I.; Lee, H.; Chang, T.; Kim, S. W.; Lee, D. S.: Poly(D,L-lactic acid-*co*-glycolic acid)-*b*-poly(ethylene glycol)-*b*-poly (D,L-lactic acid-*co*-glycolic acid) triblock copolymer and thermoreversible phase transition in water, 188
Shim, W. S. See Shim, M. S., 188
Shin, H.
—; Jo, S.; Mikos, A. G.: Modulation of marrow stromal osteoblast adhesion on biomimetic oligo[poly(ethylene glycol) fumarate] hydrogels modified with Arg-Gly-Asp peptides and a poly(ethylene glycol) spacer, 169
Shin, J. H. See Lee, B.-H., 466
Shinzato, S. See Kamimura, M., 564
Smart, J. D. See Marsh, L. H., 641
Smith, J. R. See Marsh, L. H., 641
Spauwen, P. H. M. See Vehof, J. W. M., 440
Sproule, T. See Xie, Y., 234
Stanic, V. See Nicoli Aldini, N., 282
Stefoni, S. See Conti, M., 370
Stevens, R. See Salem, A. K., 212
Stile, R. A.
—; Barber, T. A.; Castner, D. G.; Healy, K. E.: Sequential robust design methodology and X-ray photoelectron spectroscopy to analyze the grafting of hyaluronic acid to glass substrates, 391
Straub, I. See Bernacca, G. M., 138
Sugawara, A.
—; Fujikawa, K.; Kusama, K.; Nishiyama, M.; Murai, S.; Takagi, S.; Chow, L. C.: Histopathologic reaction of a calcium phosphate cement for alveolar ridge augmentation, 47
Sukura, A. See Laitinen, O., 33
Sung, H.-W. See Chen, C.-N., 360

Tadmor, R.
—; Chen, N.; Israelachvili, J. N.: Thin film rheology and lubricity of hyaluronic acid solutions at a normal physiological concentration, 514
Taguchi, T.
—; Ikoma, T.; Tanaka, J.: An improved method to prepare hyaluronic acid and type II collagen composite matrices, 330
Takagi, S. See Sugawara, A., 47
Takai, O. See Kuroda, K., 354
Takei, H. See Pioletti, D. P., 408
Takita, H. See Vehof, J. W. M., 440
Tamura, J.
—; Clarke, I. C.; Kawanabe, K.; Akagi, M.; Good, V. D.; Williams, P. A.; Masaoka, T.; Schroeder, D.; Oonishi, H.: Micro-wear patterns on UHMWPE tibial inserts in total knee joint simulation, 218
Tamura, J. See Kamimura, M., 564
Tanaka, J. See Taguchi, T., 330
Tendler, S. J. B. See Salem, A. K., 212
ter Brugge, P. J.
—; Dieudonne, S.; Jansen, J. A.: Initial interaction of U2OS cells with noncoated and calcium phosphate coated titanium substrates, 399
Timmins, B. See Marsh, L. H., 641
Tiwari, A. See Salacinski, H., 337
Tong, W.
—; Eppell, S. J.: Control of surface mineralization using collagen fibrils, 346
Torricelli, P. See Nicoli Aldini, N., 282
Tsibouklis, J. See Marsh, L. H., 641
Tun, T. See Aung, T., 75

Urban, G. See Schlosser, M., 450

Vallet-Regí, M. See Meseguer-Olmo, L., 458
Vallet-Regí, M. See Salinas, A. J., 524
van der Waerden, J. P. C. M. See Ooms, E. M., 9
Vázquez, B. See Méndez, J. A., 66
Vehof, J. W. M.
—; Takita, H.; Kuboki, Y.; Spauwen, P. H. M.; Jansen, J. A.: Histological characterization of the early stages of bone morphogenetic protein-induced osteogenesis, 440
Vicente-Ortega, V. See Meseguer-Olmo, L., 458
Villarraga, M. L. See Edidin, A. A., 312
Villarraga, M. L. See Edidin, A. A., 323
Von den Hoff, J. W. See Parker, J. A. T. C., 91

Wagner, W. R. See Guan, J., 493
Walboomers, X. F. See Parker, J. A. T. C., 91
Wheatley, D. J. See Bernacca, G. M., 138
Wilhelm, L. See Schlosser, M., 450
Williams, P. A. See Tamura, J., 218
Williams, P. M. See Salem, A. K., 212
Williams, S. K. See Kellar, R. S., 226
Wolfe, M. S.
—; Dean, D.; Chen, J. E.; Fisher, J. P.; Han, S.; Rimnac, C. M.; Mikos, A. G.: *In vitro* degradation and fracture toughness of multilayered porous poly(propylene fumarate)/β-tricalcium phosphate scaffolds, 159
Wolke, J. G. C. See Ooms, E. M., 9
Wu, M. See Cissé, O., 339

Xie, Y.
—; Sproule, T.; Li, Y.; Powell, H.; Lannutti, J. J.; Kniss, D. A.: Nanoscale modifications of PET polymer surfaces via oxygen-plasma discharge yield minimal changes in attachment and growth of mammalian epithelial and mesenchymal cells *in vitro*, 234
Xing, S.
—; Santerre, J. P.; Labow, R. S.; Boynton, E. L.: The effect of polyethylene particle phagocytosis on the viability of mature human macrophages, 619

Yahia, L'H. See Cissé, O., 339
Yamashita, K. See Nakamura, S., 593
Yau, S. S. See Edidin, A. A., 312
Yau, S. S. See Edidin, A. A., 323

Zhang, K.
—; Ma, Y.; Francis, L. F.: Porous polymer/bioactive glass composites for soft-to-hard tissue interfaces, 551
Zhang, M. See Zhang, Y., 1
Zhang, Y.
—; Zhang, M.: Three-dimensional macroporous calcium phosphate bioceramics with nested chitosan sponges for load-bearing bone implants, 1
Ziegler, B. See Schlosser, M., 450
Ziegler, M. See Schlosser, M., 450
Zippel, R. See Schlosser, M., 450

Journal of Biomedical Materials Research
Subject Index—Volume 61

α-tricalcium phosphate, 600, 653
$\alpha_5\beta_1$-integrin, 260
Absorbable, 380
Acrylic acid, 146
Acrylonitrile copolymers, 290
Actin, 482
AFM, 234
Albumin, 252
Alkali and heat treatments, 466
Alveolar ridge augmentation, 47
Amphiphilic copolymer, 252
Aneurysms, 533
Angiogenesis, 226
Animal study, 9
Antiadhesion agents, 628
Antimicrobial activity, 360
Apatite, 551
Apatite formation, 1
Apatite-wollastonite containing glass-ceramic, 564
Apoptosis, 121, 408
Aqueous processing, 354
Arteriovenous malformations, 533
Artificial aging, 323
Artificial joints, 634
Atomic force microscopy, 234, 346
Azidation, 26

Bacterial adhesion, 26
Bacterial adsorption, 641
Bioactive bone cement, 564
Bioactive glass, 551
Bioactive glass-ceramic, 99
Bioactive glasses, 458, 524
Bioactivity, 301
Biocompatibility, 9, 33, 282
Biocompatible materials, 252
Biocompatible polymers, 641
Biodegradable, 19, 159, 188, 421
Biodegradable hydrogels, 169
Biodegradable material, 600
Biodegradable polymer, 61
Biodegradation, 33, 53, 138, 493, 505
Biofouling, 641
Bioglass, 282
Biological tissue, 360
Biolubrication, 514
Biomaterial, 83, 165
Biostable, 138
Blue-colored oxide (BO), 339
Bone, 421
Bone cement, 600, 653
Bone engineering, 440
Bone graft, 66
Bone morphogenetic protein, 61, 440
Bone repair and substitutes, 1
Bone tissue engineering, 109, 169
Burr hole cover, 131

Calcium phosphate, 354
Calcium phosphate bioceramics, 1
Calcium phosphate cement, 9, 581
Calcium phosphate cement (CPC), 47
Calcium phosphate deposition, 99
Calcium phosphates, 399
Calcium sulphate, 600
Carbodiimide chemistry, 391
Carrier, 61
Cartilage, 330
Cell adhesion, 1, 399, 493
Cell adhesion to fibronectin, 260
Cell attachment, 169, 482
Cell proliferation, 197
Cell seeding, 380
Cell spreading, 399, 482
Cell viability, 619
Ceramic, 660
Ceramics, 282
Charge polarity, 593
Chemotaxis, 474
Chitosan sponges, 1
Chondroinduction, 75
Citric acid, 653
Clot, 474
Cold roll-drawing, 634
Collagen, 121, 346, 482, 608
Composite, 581
Composite scaffolds, 1
Controlled release drug delivery, 203
Corrosion, 541
CPC block, 47
Cranial, 159
Cranial defects, 131
Critical size defects, 159
Crosslinked, 270
Crosslinking, 121, 430
Crosslinking agent, 360
Crosslinking density, 146
Cytokine, 408
Cytokines, 628

DCPA, 354
Degradation, 312, 323
Dental ceramics, 153, 541
Dentin, 40
Depletion interaction, 514
Dexamethasone, 180
Dialysis membranes, 370
Dissolution, 301
Drug release, 660
Dual-phase mixing, 109

E. coli, 26
ε-caprolactone, 53
Ectopic, 440
Electrical polarization, 593
Electron microscopy, 40
Electropolished (EP), 339
Electropolished followed by chemical passivation (CP), 339
Endothelial cells, 212
Endothelium, 572
Enrofloxacin, 246
Enzyme immunoassay, 450
Epicardium, 226
ePTFE, 226
Extraction, 83

Factor XIII, 474
Failure, 312, 323
Fibril formation, 197
Fibrin sealant, 474
Fibroblasts, 608
Fibronectin, 482
Fibronectin adsorption on polymer surfaces, 260
5-fluorouracil, 203
Fluorescent penetrant method, 153
Foaming, 109
Force spectroscopy, 370

Gelatin, 19
Genomic study, 408
Glucose sensors, 180
Glutamic acid, 121
Glutaraldehyde, 360
Guided bone regeneration, 131

Heart valve, 138
High-density polyethylene, 634
Histology, 619
Histopathologic reaction, 47
Human osteoblasts, 121
Human skin fibroblasts, 290
Hyaluronan, 514
Hyaluronic acid, 330, 391
Hyarulonate, 514
Hydrodynamic lubrication, 514
Hydrolytic activities, 505
Hydrophilic, 290
Hydrophobic, 290
Hydroxyapatite, 354, 466, 581, 593, 660

IGF-1, 121
IgG antibodies, 450
Immune response, 450
Immunocytochemistry, 40
Implant, 47, 165
Implants, 91
In vitro, 466
In vitro genotoxicity testing, 83
In vitro tests in SBF, 524
In vivo bioactivity, 458
In vivo degradation, 53
In vivo gentamicin release, 458
Inductively coupled plasma optical emission spectroscopy (ICP-OES), 541
Inflammation, 180, 450
Injectable, 9
Injectable bone substitute, 581
Injectable hydrogels, 169
Insulin, 660
Integrins, 399
Interfacial tensile strength, 564
Intratumoral drug delivery, 203
Inulin hydrogels, 146
Ion dissolution, 541
Ion release, 339
Irradiation sterilization, 430

Knee simulator, 218

Light-optical microscopy, 153
Liposomes, 246

Macrophage, 628
Macrophages, 246
Macroporous hydroxyapatite, 109
Magnetic resonance microscopy, 380
Mark-Houwink coefficients, 514
Mechanical behavior, 312, 323
Mechanical properties, 138
Mechanically polished (MP), 339
Melt-derived glass, 301
Mesenchymal stem cells, 75
Metalloproteinases, 628
Microgrooves, 91
Microindentation, 270
Micromechanics, 270
Microsphere, 421
Microspheres, 180, 660
Mineralization, 346
Monocyte-derived macrophage, 505, 619
mRNA differential display, 165

Nanoindentation, 270
Nanoscale, 234
Neutrophil, 474
NiTi alloy, 339
Nitric oxide, 628
Non-Newtonian flow, 533

Orientation, 608
Orthopedic biomaterial, 346
Osseointegration, 282
Osteoblast, 346, 408
Osteobonding, 593
Osteoconductivity, 593
Osteogenesis, 440
Osteotransduction, 9
Oxidation, 430

Partially biodegradable composites, 66
Particle, 408
Particle size, 301
pH-dependent swelling, 146
PHB, 165
Phagocytosis, 33, 246, 619
Phase transfer catalysis, 26
Phase transition, 188
Phosphoric acid, 40
Photocured film, 53
Photolithography, 212
Pitting corrosion, 339
Plasma proteins, 370
PLGA, 180
Poly(D,L-lactide-*co*-glycolide), 61, 203
Poly(ε-caprolactone), 66
Poly(ester-urethane)urea, 493
Poly(ethyleneoxide)–copoly(propyleneoxide) copolymers, 641
Poly(lactide-caprolactone), 75
Poly(lactide-*co*-glycolide), 421
Poly(vinyl chloride), 26
Poly-L-lactic acid, 91
Poly-L-lactide, 33
Polyelectrolyte adsorption, 581
Polyelectrolytes, 514
Polyethylene, 619
Polylactide, 380
Polylactides, 131
Polymer occlusion, 533
Polymer scaffold, 551
Polymethylmethacrylate, 564
Polyurethane, 138, 505
Polyvinyl formal, 75
Porosity, 212, 524, 600
Porous composites, 551
Predegrading, 180
Prosthetic joints, 430
Proteoglycans, 40

Rabbits, 131
Radio frequency glow discharge, 493
Rana tigerina, 197
Rat aorta, 572
Reconstitution, 197
Reference material, 83
Resins, 572
Retinal-sheet transplantation, 19
Reuterin, 360
RGD, 169
Robust Design, 391

S. aureus, 26
Sample preparation, 83
Scaffold, 109, 330, 440
Scaffolds, 159
Scanning electron microscopy (SEM), 218
Scanning force microscopy, 370
Self-curing formulations, 66
SEM, 153
Shear-thinning, 533
Silicone, 91
SiO_2-CaO-P_2O_5 system, 458
Skin collagen, 197
Small punch test, 312, 323
Soft tissue response, 165
Soft-to-hard tissue interface, 551
Sol-gel, 524
Sol-gel derived glass, 301
Sol–gel glasses, 458
Sterilization method, 19
Straw-colored oxide (SCO), 339
Surface, 608
Surface analysis, 641
Surface area, 524
Surface microscopic cracks, 153
Surface modification, 26, 252, 391, 466, 493

Surface segregation, 252
Surface sulfonic groups, 260
Sutures, 180
Synthetic biomaterial, 61

Thermal substrate method, 354
Thermoreversible, 188
Thin film viscosity, 514
Three-dimensional scaffold, 75
3T3 fibroblasts, 212
Tissue engineering, 159, 212, 234, 290, 330, 380, 421
Tissue reaction, 91
Titanium, 466
Topography, 234, 608
Total knee replacement (TKR), 218
Transmission electron microscopy, 33
Triblock copolymer, 188
Trimethylene carbonate, 53
Tube flow, 533
Type II collagen, 330

U2OS cells, 399
U937 cells, 505
UHMWPE, 270, 312, 323
Ultimate properties, 312, 323
Ultra-high molecular weight polyethylene, 312, 323
Ultra-high-molecular-weight polyethylene (UHMWPE), 218
Ultrahigh molecular-weight polyethylene (UHMWPE), 430

Vancomycin release, 66
Vascular prosthesis, 450
Vascular reactivity, 572
Vessel characterization, 226
Vessel density, 226
Vicryl, 165

Water-reducing admixture, 653
Water-soluble carbodiimide, 330
Wear, 218, 270, 430, 634
Wettability, 99
Wound healing, 197

XPS, 391

Zirconia, 282